

## 10.1 Grammar example

### Description

In this section, we will show an example of nested classes for representing the concept of a context free grammar. We are thus in the domain of grammars from programming languages.

In [qBeta – a new object-oriented language for programming and modeling](#) a context free grammar to define the syntax of qBeta which we use in this book.

If you are not familiar with the notion of a context free grammar, please seek information elsewhere if the brief explanation here is insufficient

A context free grammar consists of:

- A set of *Nonterminal* symbols.
- A set of *Terminal* symbols.
- A set of *Rules*.
- A distinguished Nonterminal called the *Start symbol*.

The sets of nonterminal and terminal symbols are disjoint, i.e. no symbol can be both a nonterminal and a terminal. A *symbol* is either a nonterminal or a terminal symbol.

We define a class `Grammar` to represent the idea of a context-free grammar. Instances of this class represent grammars of specific languages like Java and Simula.

Class `Grammar` defines the symbols (nonterminals and terminals) of a given grammar. Different concrete grammars have different symbols. Java symbols differ from Simula symbols. We reflect this property in the definition of the `Grammar` class. The same applies to the rules of a given grammar. Different grammars have different rules and this is also reflected in the definition of class `Grammar`. We use nested classes for this purpose as shown in the first sketch of class `Grammar`:


```
class Grammar:
  nonterminals: obj Set(Nonterminal)
  terminals: obj Set(Terminal)
  rules: obj OrderedList(Rule)
  start: ref Nonterminal
  class Symbol(name: var String):
    ...
  class Nonterminal: Symbol
    ...
  class Terminal: Symbol
    ...
  class Rule:
    ...
```

The nonterminals are represented by a set of `Nonterminal` symbols and the terminals are represented by a set of `Terminal` symbols. The rules are represented by an `OrderedList` of `Rule`-objects. The Start symbol is represented by a reference, `start` to a `Nonterminal`.



The reason we use `OrderedList` to represent the rules and not `Set` as for `Nonterminals` and `Terminals`, is that we want to control the order of the rules when e.g. printing as shown below,

The fact that terminals and nonterminals are special symbols is represented by the classes `Terminal` and `Nonterminal` are subclasses of the class `Symbol`.

All these classes are local classes of `Grammar`, as they are parts of the definition `Grammar`. The `Symbol` class has a parameter, representing name of the `Symbol`.



The figures below show two different diagrams for illustrating nested classes. In the first diagram, the circle with a plus-sign (+) shows that class `Grammar` has local classes `Symbol`, `Terminal` and `NonTerminal`. In the second diagram, `Symbol`, `Terminal` and `Nonterminal` are shown inside the `Grammar` class – in addition, the class/subclass relations between `Symbol`, `Terminal` and `NonTerminal` are shown, which is not the case in the first diagram. We use the two types of diagrams depending on what is to be illustrated.



We may declare an object representing a (tiny part) of a Java grammar as follows:

```
Java: obj Grammar
    jclass: obj Terminal("class")
    jStatic: obj Terminal("static")
    ...
```

The object Java is a sub of Grammar and it contains the declaration of two terminal symbols representing the Java symbols class and static.

We may in a similar way declare an object representing grammar for SIMULA:

```
Simula: obj Grammar
    sClass: obj Terminal("class")
    sBegin: obj Terminal("begin")
```

The symbols jclass and jStatic represent the Java symbols class and static and sClass and sBegin represent the Simula symbols class and begin. Note, even if jclass and sClass have the same name they represent the class-symbol of different grammars.

The next diagrams are similar to the diagrams above showing the nesting of Symbol, Terminal and NonTerminal in class Grammar. The difference is that the diagrams below show the nesting within instances of class Grammar – the Java Grammar-object and the Simula Grammar-object. As before, the circle with a plus-sign ('+') is used to illustrate nesting in the leftmost diagram. It shows that the Java Grammar-object and the Simula Grammar-object both have local classes Symbol, Terminal and NonTerminal.

In the second diagram, Symbol, Terminal and Nonterminal are shown inside the Java- and Simula-objects respectively – in addition, the class/subclass relations between is shown, which is not the case in the first diagram. As said above, we use the two types of diagrams depending on what is to be illustrated.






Image not found or type unknown



Java and Simula are both instances of the same class Grammar. The objects `jClass`, `jStatic` and `sClass`, `sBegin` are, however, not instances of the same class; `jClass`, and `jStatic` are instances of class `Java.Terminal`, whereas `sClass`, and `sBegin` are instances of class `Simula.Terminal`. The following figure illustrates this for `jClass` and `sClass`.

From a modeling point of view, this is what we want, since `jClass`, `jStatic` are Java symbols and `sClass`, `sBegin` are Simula symbols. The two classes of symbols are clearly different.



JavaSimularGrammar/

At this point we have not added the necessary content to the `Java.nonterminals`, `Java.terminals`, `Java.rules` and `Java.start` in order to represent a complete grammar for Java and similarly for Simula. These grammars are large and will thus take up a lot of space in this book. Instead, we show a complete example of a grammar for a subset of arithmetic expressions in section below.

In the next version of `Grammar`, we add a `print` method:

```
class Grammar:
  nonterminals: obj Set(Nonterminal)
  terminals: obj Set(Terminal)
  rules: obj OrderedList(Rule)
  start: ref Nonterminal
  ...
  print:
    console.print("Grammar:\n")
    rules.scan
    current.print
```

The `print` method prints the text "Grammar" and then it scans through the `rules` and invoke `print` on each rule in the grammar. And as mentioned above, we want to print the `rules` in the order we have added them to the `OrderedList`. See the expression `grammar example` below for details.

The difference between `Java.Symbol` and `Simula.Symbol` is the same as the difference between `Java.Print` and `Simula.Print`. The latter two expressions invoke different `Print` method objects, since they have different contexts. **Figure X1** shows a diagram representing the objects `Java` and `Simula`.

Figure [~\ref{fig:symbdiagram}](#) shows the objects `Java`, `Simula`, `jClass`, `jStatic` and `sClass`, `sBegin`. Note that `jClass`, `jStatic` and `sClass`, `sBegin` have different origins.

By declaring `Symbol` local to the `Grammar` class, we have the possibility of distinguishing between symbols of different grammars. Also, since the class `Symbol` is local to `Grammar`, a `Symbol` has no existence without a `Grammar` object. From a modeling point of view, this is what we want.

In the example above, the data-items `jClass`, `jStatic` and `sClass`, `sBegin` are constant references in the sense that they each of them refer to the same object during the whole of the program execution. It is, of course, also possible to declare variable references using `ref`. In the example below we declare data-items where the type is a remote name:

```
aJavaSymbol: ref Java.Symbol
aSimulaSymbol: ref Simula.Symbol
```

The reference `aJavaSymbol` may denote any instance of `Java.Symbol` and `aSimulaSymbol` may denote any instance of `Simula.Symbol`. It is important emphasise that these two data-items have different types. Class `Symbol` in `Java` is different from class `Symbol` in `Simula`.

Suppose that we want to declare a reference that can denote arbitrary symbols of any `Grammar`. This is done by declaring a variable reference qualified by `Grammar.Symbol`:

```
anySymbol: ref Grammar.Symbol
```

Note the difference from the declaration of `aJavaSymbol` using `Java.Symbol`, where `Java` is a reference to a `Grammar` object. In the declaration of `anySymbol`, `Grammar` is a class name. `anySymbol` can refer to instances of either `Java.Symbol` or `Simula.Symbol`. In fact, the class `Grammar.Symbol` may be viewed as a generalization of the classes `Java.Symbol` and `Simula.Symbol`. The `Grammar.Symbol` class is then a representation of the general concept of a symbol of a context free grammar.